

1. Unique identification code of the product-type: **OptiLook** (56426, 56247, 56248, 56440), **OptiLook 8004** (56245, 56246, 56427), **OptiLook 8019, OptiLook 9005, OptiLook 7016**, (RB-xxxxxx)
– commercial version of wooden access roof light WGT
- OptiLook T** (56083, 56084), **OptiLook T 8004** (56177, 56178), **OptiLook T 8019, OptiLook T 9005, OptiLook T 7016, OptiLook T/H** (56435, 56436), (RB-xxxxxx)
– commercial version of wooden access roof light WGI
2. Intended use/es: **Wooden access roof light intended to be used in domestic and commercial spaces (in non-habitable lofts)**
3. Manufacturer: **KRONMAT Sp. z o.o.
Węgierska 146c Street,
33-300 Nowy Sącz, Poland**
4. Authorised representative: **./.**
5. System/s of AVCP: **3**
6. Harmonised standard: **EN 14351-1:2006+A2:2016**
Notified body/ies: **Centrum stavebního inženýrství a. s. (1390), Instytut Techniki Budowlanej (1488)**

7. Declared performance/s:

Essential characteristics	Performance		Harmonised technical specification
	OptiLook, OptiLook 8004, OptiLook 8019, OptiLook 9005, OptiLook 7016	OptiLook T, OptiLook T 8004, OptiLook T 8019, OptiLook T 9005, OptiLook T 7016, OptiLook T/H	
7.1 Resistance to wind load	Class B2	Class C1/B1	EN 14351-1:2006+A2:2016
7.2 Resistance to snow and permanent load	4	3-8-3	
7.3 Reaction to fire	npd (1)	npd (1)	
7.4 External fire performance	npd	npd	
7.5 Watertightness	Class 3A	Class 3A	
7.6 Impact resistance	npd	npd	
7.7 Load-bearing capacity of safety device	npd	npd	
7.8 Acoustic performance	npd	npd	
7.9 Thermal transmittance	npd	npd	
7.10 Radiation properties:			
- Solar factor g	0.88	0.80	
- Light transmittance	0.91	0.83	
7.11 Air permeability	Class 1	Class 1	

(1) npd – no performance determined

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer by:

Ewa Łukaszczyk-Haslik

Nowy Sącz, 04/04/2022

